(b) Standard: Length of stay. The CAH provides acute inpatient care for a period that does not exceed, on an annual average basis, 96 hours per patient.

[62 FR 46036, Aug. 29, 1997, as amended at 65 FR 47052, Aug. 1, 2000; 69 FR 49271, Aug. 11, 2004; 69 FR 60252, Oct. 7, 2004; 78 FR 50970, Aug. 19, 20131

§ 485.623 Condition of participation: Physical plant and environment.

- (a) Standard: Construction. The CAH is constructed, arranged, and maintained to ensure access to and safety of patients, and provides adequate space for the provision of services.
- (b) Standard: Maintenance. The CAH has housekeeping and preventive maintenance programs to ensure that-
- (1) All essential mechanical, electrical, and patient-care equipment is maintained in safe operating condition;
- (2) There is proper routine storage and prompt disposal of trash:
- (3) Drugs and biologicals are appropriately stored;
- (4) The premises are clean and orderly; and
- (5) There is proper ventilation, lighting, and temperature control in all pharmaceutical, patient care, and food preparation areas.
- (c) Standard: Emergency procedures. The CAH assures the safety of patients in non-medical emergencies by-
- (1) Training staff in handling emergencies, including prompt reporting of fires, extinguishing of fires, protection and, where necessary, evacuation of patients, personnel, and guests, and cooperation with fire fighting and disaster authorities;
- (2) Providing for emergency power and lighting in the emergency room and for battery lamps and flashlights in other areas:
- (3) Providing for an emergency fuel and water supply; and
- (4) Taking other appropriate measures that are consistent with the particular conditions of the area in which the CAH is located.
- (d) Standard: Life safety from fire. (1) Except as otherwise provided in this
- (i) The CAH must meet the applicable provisions of the 2000 edition of the Life Safety Code of the National Fire Protection Association. The Director

of the Office of the Federal Register has approved the NFPA 101® 2000 edition of the Life Safety Code, issued January 14, 2000, for incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. A copy of the Code is available for inspection at the CMS Information Resource Center, 7500 Security Boulevard, Baltimore, MD or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/

 $federal_register/$

code_of_federal_regulations/
ibr_locations.html. Copies may be obtained from the National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269. If any changes in this edition of the Code are incorporated by reference, CMS will publish notice in the FEDERAL REGISTER to announce the changes.

- (ii) Chapter 19.3.6.3.2, exception number 2 of the adopted edition of the Life Safety Code does not apply to a CAH.
- (2) If CMS finds that the State has a fire and safety code imposed by State law that adequately protects patients, CMS may allow the State survey agency to apply the State's fire and safety code instead of the LSC.
- (3) After consideration of State survey agency findings, CMS may waive specific provisions of the Life Safety Code that, if rigidly applied, would result in unreasonable hardship on the CAH, but only if the waiver does not adversely affect the health and safety of patients.
- (4) The CAH maintains written evidence of regular inspection and approval by State or local fire control agencies.
- (5) Beginning March 13, 2006, a critical access hospital must be in compliance with Chapter 9.2.9, Emergency Lighting.
- (6) Beginning March 13, 2006, Chapter 19.3.6.3.2, exception number 2 does not apply to critical access hospitals.
- (7) Notwithstanding any provisions of the 2000 edition of the Life Safety Code to the contrary, a critical access hospital may install alcohol-based hand rub dispensers in its facility if-
- (i) Use of alcohol-based hand rub dispensers does not conflict with any

§ 485.627

State or local codes that prohibit or otherwise restrict the placement of alcohol-based hand rub dispensers in health care facilities;

- (ii) The dispensers are installed in a manner that minimizes leaks and spills that could lead to falls:
- (iii) The dispensers are installed in a manner that adequately protects against inappropriate access;
- (iv) The dispensers are installed in accordance with chapter 18.3.2.7 or chapter 19.3.2.7 of the 2000 edition of the Life Safety Code, as amended by NFPA Temporary Interim Amendment 00-1(101), issued by the Standards Council of the National Fire Protection Association on April 15, 2004. The Director of the Office of the Federal Register has approved NFPA Temporary Interim Amendment 00-1(101) for incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. A copy of the amendment is available for inspection at the CMS Information Resource Center, 7500 Security Boulevard, Baltimore, MD and at the Office of the Federal Register, 800 North Capitol Street NW., Suite 700, Washington, DC. Copies may be obtained from the National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269; and
- (v) The dispensers are maintained in accordance with dispenser manufacturer guidelines.

[58 FR 30671, May 26, 1993, as amended at 62 FR 46036, 46037, Aug. 29, 1997; 68 FR 1387, Jan. 10, 2003; 69 FR 49271, Aug. 11, 2004; 70 FR 15239, Mar. 25, 2005; 71 FR 55341, Sept. 22, 2006; 77 FR 29076, May 16, 2012]

§ 485.627 Condition of participation: Organizational structure.

- (a) Standard: Governing body or responsible individual. The CAH has a governing body or an individual that assumes full legal responsibility for determining, implementing and monitoring policies governing the CAH's total operation and for ensuring that those policies are administered so as to provide quality health care in a safe environment.
- (b) Standard: Disclosure. The CAH discloses the names and addresses of—
- (1) Its owners, or those with a controlling interest in the CAH or in any subcontractor in which the CAH di-

rectly or indirectly has a 5 percent or more ownership interest, in accordance with subpart C of part 420 of this chapter:

- (2) The person principally responsible for the operation of the CAH; and
- (3) The person responsible for medical direction.

[58 FR 30671, May 26, 1993, as amended at 62 FR 46037, Aug. 29, 1997]

§ 485.631 Condition of participation: Staffing and staff responsibilities.

- (a) Standard: Staffing—(1) The CAH has a professional health care staff that includes one or more doctors of medicine or osteopathy, and may include one or more physician assistants, nurse practitioners, or clinical nurse specialists.
- (2) Any ancillary personnel are supervised by the professional staff.
- (3) The staff is sufficient to provide the services essential to the operation of the CAH.
- (4) A doctor of medicine or osteopathy, nurse practitioner, clinical nurse specialist, or physician assistant is available to furnish patient care services at all times the CAH operates.
- (5) A registered nurse, clinical nurse specialist, or licensed practical nurse is on duty whenever the CAH has one or more inpatients.
- (b) Standard: Responsibilities of the doctor of medicine or osteopathy. (1) The doctor of medicine or osteopathy—
- (i) Provides medical direction for the CAH's health care activities and consultation for, and medical supervision of, the health care staff;
- (ii) In conjunction with the physician assistant and/or nurse practitioner member(s), participates in developing, executing, and periodically reviewing the CAH's written policies governing the services it furnishes.
- (iii) In conjunction with the physician assistant and/or nurse practitioner members, periodically reviews the CAH's patient records, provides medical orders, and provides medical care services to the patients of the CAH; and
- (iv) Periodically reviews and signs the records of all inpatients cared for by nurse practitioners, clinical nurse specialists, certified nurse midwives, or physician assistants.